

# INDEX.

	PAGE
<b>AIKIN ARTHUR, Esq.</b> Observations on a bed of Trap occurring in the colliery of Birch hill in Staffordshire . . . . .	251
<i>Alluvial Formations</i> of the North of Ireland . . . . .	193
<i>Alluvial land</i> , small quantity in Sky . . . . .	18
<i>Analcime</i> , found abundantly at Talisker in Sky . . . . .	82
<i>Antrim</i> , Description of the Sections presented by the Coast of . . . . .	196
<i>Asbestus</i> , its soft state while in the bed . . . . .	285
<i>Barbadoes</i> , Dr. SKEY's remarks on the structure of . . . . .	236
———— Successive terraces of different elevations in . . . . .	237
<i>Barytes, Sulphate of</i> , Vein of, in the limestone of Cannington Park . . . . .	365
<i>Basalt</i> , stratified, enormous mass covering secondary strata in the North of Ireland . . . . .	129
———— Extent of the area of, in the North of Ireland . . . . .	179
———— <i>Tabular</i> , in the North of Ireland . . . . .	181
———— <i>Columnar</i> , in the North of Ireland, described . . . . .	181
———— Mr. CONYBEARE's arguments in favor of its igneous origin . . . . .	208
———— Large spherical mass of, enveloped in the chalk on the coast of Antrim . . . . .	212
———— overlying the chalk in Antrim and Derry, described . . . . .	198
<i>Basaltic Dykes</i> , effect produced by their traversing chalk in the North of Ireland . . . . .	172
———— remarkable one traversing the red sandstone of the Coast of Antrim . . . . .	200
<i>Basaltic group</i> of Mountains in the North-East of Ireland de- scribed . . . . .	127
<b>BERGER, J. F. M.D.</b> On the Geological Features of the North- Eastern Counties of Ireland . . . . .	121
———— On the Dykes of the North of Ireland . . . . .	223
<i>Bitumen</i> , found in Barbadoes . . . . .	241
<i>Blaven</i> , in Sky, situation of the mountain so called . . . . .	12

	PAGE
Bogg, Mr. EDWARD. A Sketch of the Geology of the Lincolnshire Wolds. . . . .	392
<i>Bole or Ochre</i> , occurs in beds in the North of Ireland . . . .	186
<i>Calcareous stalactites</i> in caves in the trap in the Isle of Rathlin	194
<i>Cambridgeshire</i> , The Rev. J. HALLSTONE, on the Geology of . . . .	243
<i>Carbon</i> , an ingredient in some traps . . . . .	9
<i>Carbonate of Lime</i> , found in the trap in Sky . . . . .	91
<i>Cardona</i> , in Spain. Dr. TRAILL on the Salt Mines of . . . . .	404
<i>Caves</i> , numerous in the cliffs of secondary strata at Loch Slapin,	
in Sky . . . . .	25
— abounding in stalactitic concretions, in Sky . . . . .	25
<i>Chabasite</i> , found at Talisker in Sky . . . . .	83
— abundant at Storr in Sky . . . . .	83
<i>Chalk</i> , in the North of Ireland, described . . . . .	129
— formation of the North of Ireland, described . . . . .	169
— extent of the formation of, in the North of Ireland . . . . .	174
— in the Lincolnshire Wolds, peculiar circumstances in the	
springs of . . . . .	393
<i>Chlorite slate</i> , Mica slate passing into, in Sky . . . . .	29
<i>Clay</i> , beds of, in connection with the Salt of Cardona . . . . .	406
<i>Clay slate</i> , Mica slate passing into, in Sky . . . . .	29
— stratified with dark blue quartz rock, in Sky . . . . .	32
— interstratified with the beds of red sandstone, and	
sometimes passing into graywacke slate, in Sky . . . . .	36
— among the floetz rocks of Werner . . . . .	37
— effect produced by a large whin dyke traversing it,	
in Antrim . . . . .	205
<i>Clinkstone</i> , in Sky . . . . .	66
— porphyry, occurs in the North of Ireland . . . . .	186
<i>Clinometer</i> , Lord WEBB SEYMOUR'S Description of one . . . . .	385
— may be applied in gauging . . . . .	391
<i>Coal</i> , occurs in Sky . . . . .	97
— found at Tyrone in Ireland . . . . .	125
— ——— Ballycastle in Ireland . . . . .	126
— altered by contact with greenstone in Staffordshire . . . . .	253

	PAGE
<i>Coal</i> , pieces of, found in the alluvium of the Lincolnshire Wolds	398
— <i>formations</i> of the North of Ireland, described	154
— <i>measures</i> , strata similar to those covering the, in England found beneath the basalt in the North of Ireland	129
<i>Conformity</i> of primary and secondary strata in Sky	50
<i>Conglomerate</i> , of the South Western part of Somersetshire, described	356—358
<i>Contortions</i> , of the slaty strata of Somersetshire	346
CONYBEARE, REV. W. Introduction to Dr. BERGER'S account of the Geological Features of the North Eastern Counties of Ireland	121
— Descriptive notes referring to the Outline of Sections presented by a part of the Coasts of Antrim and Derry	196
<i>Copper ore</i> , found in the limestone of Somersetshire	344—353
<i>Coruisk</i> , Lake, in Sky	24
<i>Corundum</i> , C. T. SWEDENSTENSKA'S account of the, from Gelli- vara in Lapland	415
<i>Cuchullin hills</i> , in Sky, described	12
— Geology of the	41
<i>Decomposition</i> , of Trap assisted by tillage of the soil covering it	11
— of the Red hills in Sky more rapid than the Cuchullin	14
<i>Denudation</i> , of Strata in the North of Ireland	129—132
<i>Derry</i> , Description of the Sections presented by the Coast of	196
<i>Dykes</i> , in the North of Ireland, Dr. BERGER ON	223
— their direction generally parallel	224
— cut through metallic veins	231
— Rocks of which they are composed	228
— Minerals found imbedded in	229
— of Monte Somma in Italy, described	233
<i>Elevations</i> , of places in the North of Ireland, by Dr. BERGER	217
<i>Epidote</i> , found in Sky	91
ESMARK PROFESSOR, Description of a new Ore of Tellurium	413

	PAGE
<i>Flötz rocks</i> , in the North of Ireland, described . . . . .	152
<i>Flinty slate</i> , containing Ammonites at Portrush . . . . .	213
———— covered by Trap in Sky . . . . .	98
<i>Fossil remains</i> , of the Green sandstone of Ireland . . . . .	169
———— of the Chalk of Ireland . . . . .	169
<i>Foy, mountain</i> , near Carlingford, chiefly composed of Primitive Trap . . . . .	140
<i>Garsven</i> , mountain in Sky, durable nature of . . . . .	24
———— its base composed of Red sandstone . . . . .	37
———— in Sky composed of large grained Greenstone . . . . .	65
<i>Geology</i> , may be of service to agriculture . . . . .	9
<i>Gillan</i> , in Sky, order of the beds at . . . . .	44
<i>Glamich mountain</i> , in Sky, consists of Syenitic rock and Clinkstone . . . . .	14
———— affects the magnetic needle . . . . .	95
<i>Glen Tilt</i> . A Geological Description of, by Dr. MAC CULLOCH . . . . .	259
———— connection of its granite with that of the Grampian hills . . . . .	302
———— General Geological Description of . . . . .	311
<i>Granite</i> , the prevailing constituent of the Mourne mountains 122—134 . . . . .	122—134
———— and Syenitic granite are geologically the same rock . . . . .	227
———— circumstances attending its contact with the stratified rocks in Glen Tilt . . . . .	312
———— found in the South Western part of Somersetshire . . . . .	348
———— <i>veins</i> , passing through Schist and Limestone in Glen Tilt . . . . .	268
GRAYDON, The Rev. GEORGE, on the Dykes of Monte Somma in Italy . . . . .	233
<i>Green sand</i> , underlying the Chalk in the North of Ireland . . . . .	130
———— reposes immediately on Lias in the North of Ireland . . . . .	130
<i>Greenstone</i> , occurs in Sky . . . . .	59
———— its characters there . . . . .	63
———— occurs in the North of Ireland . . . . .	142
———— of the North of Ireland, described . . . . .	184—204
———— Vein of in Glen Tilt . . . . .	281
———— <i>porphyry</i> , occurs in Sky . . . . .	59

	PAGE
<i>Greenstone slate</i> , occurs in the Mourne mountains in the North of Ireland . . . . .	142
GREGOR, THE REV. W. On the Tremolite of Cornwall . . . . .	399
<i>Greystone</i> , occurs in the North of Ireland . . . . .	186
<i>Greywacke, and Greywacke slate</i> , in the North of Ireland, described . . . . .	146
————— of Somersetshire, described, by Mr. HORNER . . . . .	345
<i>Gypsum</i> , contained in large quantities in the red sandstone near Watchet . . . . .	375
HAILSTONE, THE REV. J. Woodwardian Professor, &c. on the Geology of Cambridgeshire . . . . .	243
<i>Hornblende</i> , crystallized in Sky . . . . .	59
—————, found in the granite of the Mourne mountains . . . . .	135
————— <i>with Mica</i> occurs in the North of Ireland . . . . .	143
————— <i>slate</i> , in the North of Ireland, described . . . . .	140
————— <i>rock</i> , in the North of Ireland, described . . . . .	140
HORNER, LEONARD, ESQ. F.R.S. Sketch of the Geology of the South-Western part of Somersetshire . . . . .	338
<i>Hypersthene</i> , found in Sky . . . . .	66—92
————— in Aberdeenshire . . . . .	93
<i>Ichthyophthalmite</i> , found at Dunvegan in Sky . . . . .	90
<i>Induration</i> , of Mineral substances after taking them from their beds . . . . .	286
<i>Ireland</i> , Geological Sections of the Coasts of Antrim and Derry, described . . . . .	196
———— THE REV. W. CONYBEARE on the Geological Features of the North Eastern Counties of . . . . .	121
———— DR. BERGER on the Geological Features of the North Eastern Counties of . . . . .	121
———— <i>and Scotland</i> , similarity in the Structure of part of . . . . .	123—124 125—131
<i>Junction</i> , remarkable one at Glen Tilt . . . . .	274

	PAGE
<i>Kenbaan cliffs</i> , on the Coast of Antrim, described . . . . .	209
<i>Kyle ric'h</i> , District in Sky, consists of Quartz rock . . . . .	8
————— Mountain above, composed of dark blue Quartz rock . . . . .	33
<i>Laumonite</i> , found in Sky . . . . .	90
<i>Lias</i> . See <i>Lyas</i> .	
<i>Limestone</i> , bed of compact, containing shells, included between . . . . .	
beds of Quartz rock near Gillan in Sky . . . . .	30
and Sandstone alternating with Mica slate near . . . . .	
Borrereg in Sky . . . . .	31
its position and characters in Sky . . . . .	38
reposes on Syenite at Kilbride in Sky . . . . .	39
alternating with shell Limestone near Borrereg . . . . .	41
its characters when in contact with Syenite in Sky . . . . .	42
its contact with Trap at Loch Eishort in Sky . . . . .	43
<i>primitive</i> , in the North of Ireland, described . . . . .	139
————— a subordinate member of the mica slate . . . . .	
formation in the North of Ireland . . . . .	139
<i>transition</i> , in the North of Ireland, described . . . . .	147
————— alternates with Transition trap and Grey- . . . . .	
wacke slate, in the North of Ireland . . . . .	147
<i>Floetz</i> , associated with the Coal formation, in the . . . . .	
North of Ireland, described . . . . .	152
abounding in veins of Granite, in Glen Tilt . . . . .	265
<i>fibrous</i> , found in Glen Tilt . . . . .	290
of Glen Tilt, described . . . . .	304
containing Madrepores, interstratified with slate, in . . . . .	
Somersetshire . . . . .	344
<i>Beds of</i> , enveloped in slate, in Somersetshire . . . . .	350
<i>Quarries</i> , in the South Western part of Somerset- . . . . .	
shire, described . . . . .	351
near Halsey cross, described . . . . .	353
large Vein of, in the conglomerate of Somersetshire . . . . .	357
of Cannington Park, described . . . . .	365
Columnar distinct concretions in, in Somersetshire . . . . .	369
of Somersetshire, Organic remains in . . . . .	369
<i>Lincolnshire Wolds</i> , Mr. Bogg's Sketch of the Geology of . . . . .	392

	PAGE
<i>Londonderry</i> , Primitive mountain chain of, described . . . . .	123
<i>Lyas limestone</i> , in the North of Ireland, described . . . . .	130
— formation, in the North of Ireland, described . . . . .	164
— of the South-Western part of Somersetshire, described . . . . .	367
— its junction with the red sandstone in Somersetshire . . . . .	374
— its most western point in England is East Lynch . . . . .	379
<i>Lydian stone</i> , found at Duntulm in Sky . . . . .	98
<b>MAC CULLOCH, JOHN, M.D.</b> Sketch of the Mineralogy of Sky . . . . .	1
— A Geological Description of Glen Tilt . . . . .	259
— Tilt . . . . .	259
<i>Magnet</i> , Various rocks in Glen Tilt affecting the . . . . .	324
<i>Marble</i> , at Strath in Sky, described . . . . .	101
— Observations on various sorts of Statuary . . . . .	104
— of Sky varying in hardness from the Trap veins traversing it . . . . .	110
— of Glen Tilt, described . . . . .	282
<i>Marle</i> , Remarkable bed of, in the Green Sandstone of Londonderry . . . . .	168
— containing land shells in Glen Tilt . . . . .	316
<i>Mesotype</i> , found in various states in Sky . . . . .	86
<i>Mica slate</i> , one of the oldest rocks in Sky . . . . .	28
— and Quartz rock generally alternating . . . . .	28
— its situation in Sky . . . . .	28
— found passing into Clay slate, Talc slate, and Chlorite slate, in Sky . . . . .	29
— contact with other stratified rocks at Loch Eishort . . . . .	31
— Numerous Trap veins in, in Sky . . . . .	30
— very generally distributed over the North of Ireland . . . . .	136
<i>Mourne Mountains</i> , in Ireland, described . . . . .	122—134
<i>Mulattoe</i> , the name given in Ireland to the Green sand . . . . .	130
<i>Murloch Bay</i> , on the Coast of Antrim, described . . . . .	203
<i>Nomenclature.</i> Dr. MAC CULLOCH'S Observations on that of certain rocks . . . . .	333

	PAGE
<i>Organic remains</i> , abundant in Barbadoes . . . . .	237
————— of the Chalk in Cambridgeshire . . . . .	250
————— of the Limestone of Somersetshire . . . . .	369
<i>Pearlstone porphyry</i> , occurs in the Basalt district of the North of Ireland . . . . .	190
<i>Pecherz</i> , found in Cornwall . . . . .	113
PHILLIPS, Mr. W. On the Oxyd of Uranium the production of Cornwall . . . . .	112
<i>Pinite</i> , found in porphyry near Glen Tilt . . . . .	308
<i>Pitchstone</i> , of a singular character found in Sky . . . . .	94
————— <i>porphyry</i> , occurs in the basalt district of the North of Ireland . . . . .	190
<i>Porphyry</i> , in the North of Ireland, described . . . . .	143
————— occurs in the basaltic area of the North of Ireland . . . . .	189
————— singular variety of, found in Glen Fernat . . . . .	310
<i>Prehnite</i> , occurs in trap veins in Sky . . . . .	80
<i>Quantock hills</i> , in Somersetshire, described . . . . .	339
<i>Quartz rock</i> , one of the oldest rocks in Sky . . . . .	28
————— and Mica slate generally found alternating . . . . .	28
————— appears to have been stratified in Sky . . . . .	30
————— numerous Trap veins in, in Sky . . . . .	30
————— in contact with and conformable to beds of red sandstone, at Ord, in Sky . . . . .	30
————— Limestone with shells between beds of . . . . .	31
————— Limestone and red sandstone alternating with . . . . .	31
————— contact of, other stratified rocks with, at Loch Eishort, in Sky . . . . .	31
————— dark blue stratified with beds of clayslate . . . . .	32
————— superimposed on the granite in Glen Tilt . . . . .	303
————— passing into granite in Glen Tilt . . . . .	293
<i>Red hills</i> , in Sky, described . . . . .	14—68
<i>Red marle</i> , in the North of Ireland, described . . . . .	131
<i>Red sandstone</i> , its position, in Sky . . . . .	34



	PAGE
<i>Red sandstone</i> , alternates with schist, at Loch Eishort in Sky	35
————— interstratified with beds of schist, in Sky	36
————— in Sky lie between limestone and quartz rock	37
————— its characters	37
————— in the North of Ireland, described	149
————— alternating with greywacke, at Scabro hill	149
————— thickness of the formation of, at Strangford Lough	150
————— of Minehead, described	357
————— <i>marly</i> , near Wotton Courtney, described	359
————— <i>argillaceous</i> , in Somersetshire, described	363
<i>Sahlite</i> , found in Glen Tilt	289
<i>Salt mines</i> , of Cardona in Spain, DR. TRAILL'S Observations on the	404
<i>Sandstone</i> , upper bed of, in Sky	46
————— remarkable disposition of the strata of, in Sky	47
————— <i>Flatz formations</i> in the North of Ireland, described	160
————— <i>Green</i> , in the North of Ireland, described	167
————— of Ireland, fossils of	169
————— <i>Red</i> . See <i>Red sandstone</i> .	
<i>Scavig, Loch</i> , Description of	23
<i>Schiefer spar</i> , sometimes found in the calcareous beds in Glen Tilt	288
<i>Schist</i> , of Glen Tilt, described	308
————— singular variety of, found in Ben Gløe	309
<i>Section</i> , remarkable one shewn in the valley of the Tilt	277
<i>Serpentine, noble</i> , commonly mixed with the marbles of Scotland	283
SEYMOUR, LORD WEBB. Description of a Clinometer	385
<i>Shale</i> , its thickness in the Lincolnshire Wolds	395
<i>Shell marle</i> , bed of, in Glen Tilt	316
SKEY, JOSEPH, M.D. Physician to the Forces. Remarks upon the Structure of Barbadoes, as connected with specimens of its rocks	236
<i>Sky</i> , DR. MAC CULLOCH'S Sketch of the Mineralogy of	1
————— general geographical description of	4
————— great Northern division consists of trap	8

	PAGE
<i>Sky</i> , description of the rock districts of . . . . .	12
— small quantity of alluvial land in . . . . .	18
— description of the Coasts of . . . . .	19
— remarkable slide of the cliff in . . . . .	22
— detailed description of the rocks of . . . . .	23
— Marble limestone alternating with shell limestone reposing on syenite in . . . . .	41
— account of the mineral substances in . . . . .	82
— junction of trap and shale in . . . . .	99
— description of the marbles at Strath in . . . . .	101
<i>Slate</i> , interstratified with limestone containing madrepores, in Somersetshire . . . . .	344
<i>Sleat district in Sky</i> , consists of mica slate . . . . .	28
<i>Slide</i> , remarkable one of the cliff, in Sky . . . . .	22
— of the hill in Strathaird in Sky . . . . .	24
— in the conglomerate, at Mount Radford . . . . .	362
— numerous on the coast of Somersetshire . . . . .	372
<i>Somersetshire</i> , LEONARD HORNER, Esq. Sketch of the Geology of . . . . .	338
<i>Sphene</i> , found in the granite of Glen Tilt . . . . .	301
<i>Stalactites</i> , abundant in a cave in Sky . . . . .	26
<i>Steatite</i> , occurs in the trap in Sky . . . . .	91
— mixed with the marble of Glen Tilt . . . . .	283—285
<i>Stilbite</i> , abundant in Sky . . . . .	85
<i>Storr</i> , in Sky, Zeolites abundant in the trap at . . . . .	16
<i>Strath</i> , district in Sky, lies on a bed of limestone . . . . .	7
— Description of . . . . .	15
<i>Strathaird</i> , in Sky, situation of the district so called . . . . .	5
— almost entirely composed of secondary strata . . . . .	7
— remarkable trap veins at . . . . .	79
<i>Stratified rocks</i> , in Sky, description of . . . . .	31
— their contact with quartz rock and mica slate . . . . .	31
<i>Strontian, sulphate of</i> , found crystallized in the septa of lime- stone masses, in Somersetshire . . . . .	371
<i>Submarine forest</i> , on the coast of Somersetshire . . . . .	380
SWEDENSTIERNA, C. T. An account of the Swedish Corundum from Gellivara, in Lapland . . . . .	415

	PAGE
<i>Syenite</i> in Sky supporting and mixed with limestone . . . . .	40
—— in Sky, described . . . . .	68
—— its tendency to decompose . . . . .	70
—— in contact with marble limestone, in Sky . . . . .	70
—— in Sky of later formation than the limestone . . . . .	76
—— in the North of Ireland, described . . . . .	144
—— distinguished from syenitic granite, by Dr. MAC CULLOCH . . . . .	300
<i>Syenitic granite</i> , and granite, their Geological identity . . . . .	297
<i>Talc slate</i> , mica slate passing into, in Sky . . . . .	29
<i>Talisker</i> , in Sky, abounds in zeolites . . . . .	82
<i>Tellurium</i> , PROFESSOR ESMARK'S Description of a new Ore of . . . . .	413
<i>Titanium</i> , Oxide of, found in Scotland . . . . .	309
TRAILL, THOMAS STEWART, M.D. Observations on the Salt Mines of Cardona, made during a tour in Spain in the summer of 1814 . . . . .	404
<i>Transition rocks</i> , in the North of Ireland, described . . . . .	146
<i>Trap</i> , forms the great Northern division of Sky . . . . .	8
—— decomposed, forms fertile soil . . . . .	9
—— veins in the secondary strata at Loch Slapin, in Sky, washed away . . . . .	25
—— vein in a cave, in Sky . . . . .	26
—— general account of, in Sky . . . . .	54
—— stratified detached masses of, in Sky . . . . .	56
—— varieties of, in Sky . . . . .	57
—— rarely columnar, in Sky . . . . .	58
—— <i>veins</i> in Sky, account of . . . . .	75
—— — two sets of . . . . .	76
—— effect of the junction of the, on the shale in Sky . . . . .	99
—— MR. AIKIN'S Observations on a bed of, at Birch Hill colliery . . . . .	251
—— <i>primitive</i> , in the North of Ireland, described . . . . .	140
—— — consists almost entirely of hornblende . . . . .	140
—— <i>transition</i> , in the North of Ireland, described . . . . .	148
—— <i>Floetz</i> , bed of, lying in conformable position between the strata of sand in the coal formation of Ballycastle . . . . .	159
—— — formation in the North of Ireland, described . . . . .	177

	PAGE
<i>Trap tuff</i> , in Sky . . . . .	59
<i>Tremolite</i> , found abundantly in the marble of Glen Tilt . . . . .	285
———— peculiar granular variety found in Glen Tilt . . . . .	288
———— of Cornwall. THE REV. W. GREGOR ON . . . . .	399
<i>Uranium</i> . MR. W. PHILLIPS on the Oxyd of, of Cornwall . . . . .	112
<i>Veins</i> of trap, in Sky . . . . .	75
———— two sets of different ages . . . . .	76
———— of clinkstone, in Sky . . . . .	78
———— frequency of, at Strathaird in Sky . . . . .	79
<i>Vein</i> , of greenstone, in Glen Tilt . . . . .	281
———— large limestone, in the conglomerate of Somersetshire . . . . .	357
———— of sulphate of barytes, in the limestone of Cannington Park . . . . .	365
<i>Wacke</i> , balls of, contained in a calcareous vein in chalk . . . . .	173
———— interstratified with chalk in a conformable position . . . . .	173
———— of the North of Ireland, described . . . . .	187
<i>Wells</i> , in the chalk of the Lincolnshire Wolds communicate with the sea . . . . .	393
<i>Whin dykes</i> , of Fairhead, described . . . . .	205
<i>Wood Coal</i> , occurs in the North of Ireland . . . . .	188
<i>Zeolites</i> , abundant in the trap, in Sky . . . . .	10
———— resist decomposition for a long time . . . . .	10
———— found in great quantities in the Storr, in Sky . . . . .	16
———— abundant in the amygdaloidal trap, in Sky . . . . .	58—188
———— description of the, in Sky . . . . .	82
———— <i>cubic</i> , found in the North of Ireland . . . . .	188

FINIS.

London: printed by W. Phillips,  
George Yard, Lombard Street.