

# INDEX.

	PAGE
ADAMS, Dr. JOHN, on the geology of the banks of the Ganges, from Calcutta to Cawnpore . . . . .	346
<i>Adam's peak</i> , the highest mountain in Ceylon . . . . .	311
AIKIN, ARTHUR, Esq. Observations on specimens from Torre del Greco . . . . .	9
————— Observations on the vallies and water- courses of Shropshire . . . . .	73
<i>Alluvium</i> , near Petersburg . . . . . 438—425—395	438—425—395
<i>Alum Shale</i> , in Yorkshire . . . . .	549—547
<i>Amygdaloid</i> , in the Isle of Man . . . . .	495
ANSTICE, ROBERT, Esq. Notice of the discovery of some fossil bones in Somersetshire . . . . .	611
<i>Antigua</i> , Dr. NUGENT on the geology of the island of . . . . .	459
AUSTIN, ROBERT, Esq. on the arragonite found in the Quantock hills . . . . .	613
BABINGTON, BENJAMIN, Esq. on the geology of the country be- tween Tellicherry and Madras . . . . .	328
BABINGTON, STEPHEN, Esq. Observations on the Island of Salsette . . . . .	1
<i>Badacson</i> , hills of, observations on the . . . . .	4
<i>Barbuda</i> , Island of, compact white limestone found there described . . . . .	474
<i>Barytes</i> , sulphate of, found at Nutfield . . . . .	357
<i>Basalt</i> , columnar, at Dharaire, opposite to the Island of Salsette, described . . . . .	1
————, columns of, in the hills of Badacson, Szigliget, &c. in Hungary . . . . .	5
————, is found interstratified with limestone in Pallis hill, in the east of Ireland . . . . .	275
————, columnar and in veins, in the Isle of Mull . . . . .	369
————, occurs in the north of Finland, Lapland, & Norway . . . . .	431
————, veins of, in granite, at the Cape of Good Hope . . . . .	616
<i>Beryls</i> , are found in the veins of granite in Ireland . . . . .	136

	PAGE
<i>Bogs</i> , of great extent in the environs of Petersburg . . . . .	440
——, on the formation of . . . . .	608
<i>Bones</i> , fossil, of the Ichthyosaurus and Plesiosaurus, anatomical description of, and compared with those of the Crocodile . . . . .	559
——, fossil, found in Somersetshire, described . . . . .	611
<i>Boulders</i> , of red granite, at the rapids of Imatra, in Russia . . . . .	341
———— of primitive rocks on the banks of the Ganges . . . . .	347
———— of granite in the brook Pulcova near Petersburg . . . . .	390
———— of limestone in the neighbourhood of Petersburg . . . . .	434
———— of various primitive rocks in the Currah of the Isle of Man . . . . .	503
<i>Breccia</i> , in the Isle of Man . . . . .	495
———— a species of, called cornstone, in Herefordshire . . . . .	512
BREWSTER, DAVID, LL.D. on the form of the integrant molecule of carbonate of lime . . . . .	83
BRIGHT, RICHARD, M.D. Remarks upon the hills of Badacson, Szigliget, &c. in Hungary . . . . .	4
BUCKLAND, REV. WM. Notice on the geological structure of part of Madagascar, with observations on some specimens from the interior of New South Wales . . . . .	480
————, Description of the quartz rock of the Lickey hill in Worcestershire . . . . .	507
————, Considerations on the evidences of a recent deluge . . . . .	516
<i>Calcedony</i> , vast quantity of it in the Island of Antigua . . . . .	464
<i>Callicut</i> , Observations on the geology of . . . . .	328
<i>Calp</i> , a rock so called in the neighbourhood of Dublin, described . . . . .	257
<i>Cambridgeshire</i> , on the strata of the northern division of . . . . .	114
<i>Cape of Good Hope</i> , Observations on its geological structure . . . . .	614
<i>Carbonate of lime</i> , on the form of the integrant molecule of . . . . .	83
CARMICHAEL, Capt. D. on the geological structure of part of the Cape of Good Hope . . . . .	614
<i>Castlemain bay</i> , suggestions respecting the improvement of . . . . .	596
<i>Ceylonite</i> , a mineral found in Ceylon . . . . .	325
<i>Ceylon</i> , Dr. DAVY on the geology and mineralogy of . . . . .	311
<i>Chalk</i> , forms the cliffs at Dover . . . . .	16
———— also the cliffs on the coast of France opposite to Dover . . . . .	47

INDEX.

653

	PAGE
<i>Chalk</i> , the Wolds of Yorkshire composed of it . . . . .	547
<i>Chromate of iron</i> , volcanic, Notice respecting . . . . .	616
<i>Clay</i> , blue and green in the brook Pulcova . . . . .	383
—, beds near Petersburg described . . . . .	406
<i>Clay slate</i> , is seen in contact with granite in the east of Ireland	167
————, occurs in New South Wales . . . . .	480
————, in the Isle of Man . . . . .	488
————, at the Cape of Good Hope . . . . .	615
————, near Plymouth . . . . .	619
<i>Coal formation</i> , in the east of Ireland . . . . .	282
————, in New South Wales . . . . .	481
————, in the Lickey hill . . . . .	511
————, in the eastern part of Yorkshire . . . . .	548
COMPTON, The Right Hon. Earl, Description of the rocks which occur along a portion of the south coast of the Isle of Mull	369
<i>Conglomerate</i> , in the Island of Antigua . . . . .	466
CONYBEARE, Rev. W. D. Notice of the discovery of a new fossil animal, forming a link between the <i>Ichthyosaurus</i> and <i>Crocodyle</i> , together with general remarks on the osteo- logy of the <i>Ichthyosaurus</i> . . . . .	559
<i>Corals fossil</i> , abundant in the Island of Antigua . . . . .	462
<i>Copper mines</i> at Cronebane described . . . . .	214
<i>Crocodyle</i> , comparison between its osteology and that of the <i>Ichthyosaurus</i> . . . . .	564
CUMBERLAND, GEORGE, Esq. Descriptions of some new fossil encrini and pentacrini, lately discovered in the neigh- bourhood of Bristol . . . . .	87
————, on the limestone beds in the river Avon, near Bristol, with a description of the mag- nesian beds that repose on their basset edges . . . . .	95
————, on a new pentacrinus from Lyme- Regis, a new encrinus, and a briarean pentacrinus . . . . .	379
<i>Curl stone</i> of Staffordshire described . . . . .	375
———— employed for making Roman cement and as a flux . . . . .	377
———— found in Merionethshire . . . . .	378
———— in Derbyshire . . . . .	378
———— in the Island of Bornholm . . . . .	378

	PAGE
<b>DAVY, Dr. JOHN, Observations on the geology and mineralogy of Ceylon</b> . . . . .	311
<b>De la BECHE, H. T. Esq. Notice of the discovery of a new fossil animal, forming a link between the Ichthyosaurus and crocodile; together with general remarks on the osteology of the Ichthyosaurus</b> . . . . .	559
<b>Deluge, considerations on the evidences of</b> . . . . .	516
<b>Derbyshire, analogy between the rocks of and those of Ireland</b>	279
<b>Diluvium, sand near Dover described</b> . . . . .	41
———, description of that which covers the Curragh, in the Isle of Man . . . . .	499
———, explanation of the term . . . . .	425
———, account of that in the environs of Petersburg . . . . .	426
————— on the Lickey hill in Worcestershire . . . . .	507
————— in the plain and vallies of Warwickshire, and the north of Oxfordshire, and in the valley of the Thames . . . . .	516
———, of the midland districts of Rutland, Leicester, and Buckinghamshire . . . . .	538
———, in the eastern part of Yorkshire . . . . .	548
<b>Dharaire, basaltic columns of</b> . . . . .	1
<b>Dolomite, occurs in the island of Ceylon</b> . . . . .	342—314
<b>Dover, remarks on the chalk cliffs in the neighbourhood of it</b>	16
<b>Drigg in Cumberland, the place where vitreous tubes were found</b> . . . . .	617
<b>Dykes of basalt in the Isle of Mull described</b> . . . . .	370
——— in the Isle of Man . . . . .	491
——— in the eastern parts of Yorkshire . . . . .	557
<b>Elk, fossil bones of, found in marly strata in Ireland</b> . . . . .	303
——— numerous bones of, and one entire skeleton, found in the Curragh of the Isle of Man . . . . .	501
<b>Emery, found in a ravine at Glenmalur</b> . . . . .	149
<b>Encrini, some new fossil species described</b> . . . . .	87—379
<b>Enalio-Sauri, an appellation proposed to denote a new order of fossil animals</b> . . . . .	562

	PAGE
<i>Firestone</i> dug at Reygate, described . . . . .	353
<i>Fossil organic remains</i> , enumeration of those which occur in the chalk near Dover . . . . .	19—53
_____ in the blue marl at Folkstone . . . . .	57
_____ in the neighbourhood of Bristol . . . . .	87
_____ in the floetz limestone of Ireland . . . . .	279
_____ in the Pleta limestone 404, 418, 422, 452—453	
_____ in the black slaty clay of Moscow . . . . .	454
_____ in a slaty bed near Simbirsk . . . . .	454
_____ in the limestone at Cazan . . . . .	455
_____ in the Island of Antigua . . . . .	462
_____ in the coal formation of New South Wales . . . . .	481
_____ in chert from Van Diemen's Land . . . . .	481
_____ in the limestone of the Isle of Man . . . . .	493
_____ in the diluvium of the Isle of Man . . . . .	501
_____ in the diluvium of the valley of the Thames . . . . .	534
_____ in the alum shale of Yorkshire . . . . .	555
_____ in the diluvium of the eastern part of Yorkshire . . . . .	555
_____ found on the banks of the Tagus . . . . .	611
_____ in the limestone of Plymouth . . . . .	620
<i>Fuller's Earth</i> , the geognostic situation of that at Nutfield, described . . . . .	356
<i>Felspar</i> , varieties of, observed by Dr. DAVY in Ceylon . . . . .	322
<i>Ferruginous Sand</i> , on the borders of Cambridgeshire . . . . .	114
<i>Fire damp</i> , unknown throughout the Leinster coal-tract . . . . .	290
<i>Flints</i> , observations on, in the chalk near Dover . . . . .	20
<i>Floetz Limestone</i> , extent of, in Ireland . . . . .	254
<i>Folkstone</i> , description of the cliffs near it . . . . .	16
<i>Forests</i> , former extent of, in Ireland . . . . .	302
<i>Formations</i> , synoptic table of those in the environs of Petersburg . . . . .	404
FRASER, JAMES, Esq. Notes accompanying specimens from the Himala mountains . . . . .	60

	PAGE
<i>Galt</i> , a blue clay, so called in Cambridgeshire . . . . .	114
<i>Ganges</i> , some circumstances respecting the geology of its banks, described . . . . .	346
<i>Garnets</i> , abundantly disseminated in gneiss, in Ceylon . . . . .	319
<i>Ghauts</i> , composed of primitive rocks . . . . .	329
<i>Glass</i> , changes produced in it by heat . . . . .	12
<i>Green Sandstone</i> , formation near Folkstone, described . . . . .	37
————— occurs on the coast of France . . . . .	49
————— in the Isle of Mull . . . . .	372
<i>Gneiss</i> , occurs in Ceylon . . . . .	314
————— minerals in it, enumerated . . . . .	318
————— is found in the Ghauts . . . . .	329
————— in the Isle of Man . . . . .	484—486
<i>Gold</i> , native, history of its discovery in Wicklow . . . . .	208
<i>Goniometer</i> , on the measurements by . . . . .	308
<i>Gothland</i> , Isle of, its structure a continuation of that of Esthonia . . . . .	455
<i>Granite</i> , stratification of it examined . . . . .	139
————— extent and characters of it, in the east of Ireland . . . . .	132
————— alternations of it with mica slate . . . . .	164
————— varieties of it in Ceylon, described . . . . .	314
————— is found forming low islets in the Ganges . . . . .	348
————— forms the southern portion of the primitive chain of Finland . . . . .	404
————— boulders of it, at the falls of Imatra and in the neighbourhood of Petersburg . . . . .	430—341
————— occurs in the bed of the river Vouluceer in the Island of Madagascar . . . . .	477
————— has been found in the west side of the blue mountains New South Wales . . . . .	480
————— its extent in the Isle of Man, described . . . . .	483—485
————— occurs in the country to the west of Hudson's Bay . . . . .	607
————— forms the base of the Table Mountain and the Lion's Head at the Cape of Good Hope . . . . .	614
————— veins of it, in schistus, at the Cape of Good Hope . . . . .	615
<i>Granite</i> , is penetrated by veins of basalt at the Cape of Good Hope . . . . .	616

	PAGE
<i>Graphite</i> , occurs in gneiss in Ceylon . . . . .	323
———— is found in the Isle of Mull . . . . .	374
———— in Madagascar . . . . .	477
———— between Lintz and Passau, on the Danube . . . . .	477
<i>Greenstone</i> , occurs in Ceylon . . . . .	315
———— in the Isle of Man . . . . .	497
———— in the east of Ireland . . . . .	225
<i>Green sand Formation</i> , at Folkstone, described . . . . .	37
———— — found by Earl Compton in the Isle of Mull . . . . .	372
———— that at Reygate described . . . . .	353
<i>Grenatite</i> , discovered at Glenmalur . . . . .	149
<i>Greywacké</i> , with subordinate beds of granite at Windmill- hill, in the east of Ireland . . . . .	166—222
———— alternates with limestone at Portrane headland, in the county of Dublin . . . . .	222
———— its extent in the Isle of Man, described . . . . .	490
———— occurs in the Quantock-hills, containing a cavern with arragonite . . . . .	613
<i>Ground Pearl</i> , a body so called, found in the marl of the Island of Antigua . . . . .	463—473
<i>Guadaloupe</i> , Island of, its geological structure . . . . .	469
<i>Gungotree</i> , singular appearance of the rocks at . . . . .	71
HANTON, Mr. JOHN, on the effects of the storm on December the 4th, 1811, in Lough Swilly . . . . .	612
<i>Heights</i> , measurements of, at Dover Castle . . . . .	16
———— of the Himala mountains . . . . .	61
———— on the water courses of Shropshire . . . . .	74
———— of mountains in the east of Ireland . . . . .	124
———— on the tract occupied by flœtz limestone in the interior of Ireland . . . . .	128
———— in Malabar . . . . .	339
———— near Petersburg . . . . .	400
———— of hills in the Wolds of Yorkshire . . . . .	547
HENNAH, Rev. RICHARD, account of the limestone at Plymouth . . . . .	619

	PAGE
HENSLOW, J. S. Esq. supplementary observations to Dr. BERGER's account of the Isle of Man . . . . .	482
<i>Himala mountains</i> , observations on specimens collected on them . . . . .	60
<i>Hornblende</i> , colour of, affected by the weather . . . . .	147
<i>Hornblende Slate</i> , in the Isle of Man . . . . .	498
<i>Hot Springs</i> in Ceylon . . . . .	313
———— at Sitacund . . . . .	349
<i>Hudson's Bay</i> , notes concerning the geology of part of North America, lying to the west of it . . . . .	598
<i>Hyalite</i> , in the great Nitre Cave, Ceylon . . . . .	319
<i>Jasper</i> , found in New South Wales . . . . .	480
<i>Jasper, Green</i> , in the Isle of Mull . . . . .	374
<i>Ichthyosaurus</i> , a fossil animal, its characters described . . . . .	563
———— geological seat of . . . . .	580
<i>Imatra</i> , description of the rapids of . . . . .	340
<i>Ireland</i> , memoir on the geological relations on the eastern part of it . . . . .	117
————, cause of the fertility of its soil . . . . .	122
<i>Iron ore</i> , in Ceylon . . . . .	317
———— in the Ghauts . . . . .	329
———— on the Neva . . . . .	441
———— in the eastern part of Yorkshire . . . . .	553—548
IRTON, EDWARD L. Esq. on the vitreous tubes found at Drigg, in Cumberland . . . . .	617
<i>Killinite</i> , found in granite veins . . . . .	135
<i>Lapis ollaris</i> , occurs in Malabar . . . . .	332
<i>Laterite</i> , a ferruginous stone, so called by Buchanan, found in the Ghauts . . . . .	329
<i>Lava</i> , observations on that from Torre del Greco . . . . .	11
<i>Lime</i> , carbonate of, remarks on its cleavages . . . . .	83
<i>Limestone</i> , a range of hills of, in the upper part of Hindostan ———— on the beds of it, in the neighbourhood of Bristol . . . . .	63 95



	PAGE
<i>Limestone</i> , extent of the first floetz, in Ireland . . . . .	254
———— description of it, in the brook Pulcovca . . . . .	389
———— beds of it, in the neighbourhood of Petersburg 401, 417, 436—450	450
———— singular variety, in the Island of Antigua . . . . .	460
———— recent formations of it, composed of fragments of shells, in Madagascar and St. Helena . . . . .	479
———— brought from New South Wales, resembling the transition limestone of England . . . . .	480
———— extent of it in the Isle of Man . . . . .	492
———— oolitic variety of it, in Yorkshire . . . . .	547
———— Mucrus Mine, Killarney, worked in it . . . . .	597
———— occurs at Nelson's river, Hudson's Bay . . . . .	601
———— in the Quantock-hills . . . . .	613
———— beds of it containing fossils, at Plymouth, described	619
<i>Limestone gravel</i> , at a considerable distance from the calcareous tract in the east of Ireland . . . . .	300
<i>Lucan</i> , mineral waters of . . . . .	258
LUNN, FRANCIS, Esq. on the strata of the northern division of Cambridgeshire . . . . .	114
<i>Madagascar</i> , notice on the geological structure of a part of it	476
<i>Magnesian Limestone</i> , near Clifton . . . . .	102
<i>Man</i> , Isle of, supplementary observations to Dr. BERGER'S account of it . . . . .	482
<i>Marl</i> , in the Island of Antigua, containing shells . . . . .	461
—, blue, near Folkstone, described . . . . .	16—37
MEADE, Dr., notice respecting a slab of serpentine from North America . . . . .	611
<i>Merstham</i> , description of the firestone quarries of . . . . .	355
<i>Metals</i> , diffused through the mass of rocks more generally than commonly supposed . . . . .	195
<i>Mica Slate</i> , occurs in the Himala Mountains . . . . .	64
———— its extent in the east of Ireland, described . . . . .	140—155
———— found in New South Wales . . . . .	480
———— in the Isle of Man . . . . .	488

	PAGE
<i>Minerals</i> , enumeration of those found in Ceylon . . . . .	183
————— in the basalt of the Mull . . . . .	374
<i>Mines of Cronabane</i> , produce of . . . . .	217
<i>Moscow</i> , black slaty clay of . . . . .	454
<i>Mucrus Mine</i> , Killarney, a notice respecting it . . . . .	595
<i>Mull</i> , Isle of, description of the rocks that occur on the south coast . . . . .	369
<i>Nelson river</i> , Hudson's bay, notes respecting the geology of it . . . . .	599
<i>Neva river</i> , in the neighbourhood of Petersburg, description of it . . . . .	393
<i>New South Wales</i> , description of specimens from it, collected by Mr. Oxley . . . . .	480
<i>Nitre Work</i> , in Ceylon . . . . .	316
NUGENT, NICHOLAS, M.D. sketch of the geology of the Island of Antigua . . . . .	459
<i>Orthoceratites</i> , in the Pleta limestone . . . . .	418, 421
PARKINSON, JAMES, Esq. Remarks on the fossils near Dover and Folkstone . . . . .	52
<i>Peat bogs</i> , on the formation of them . . . . .	608
————— in Ireland, origin of . . . . .	301
<i>Pentacrini</i> , on some new fossil varieties . . . . .	87, 379
<i>Petersburg</i> , geology of the environs of . . . . .	392
PHILLIPS, WM. Esq. Remarks on the chalk cliffs near Dover . . . . .	16
————— on the modification of the primitive crystal of the sulphate of barytes . . . . .	305
<i>Plesiosaurus</i> , a fossil animal so named, intermediate in its structure between the ichthyosaurus and crocodile . . . . .	560
————— its characters described . . . . .	581
————— geological seat of . . . . .	591
<i>Plymouth</i> , limestone of, described . . . . .	619
<i>Porphyry</i> , occurs at Tare hill in the east of Ireland . . . . .	181
————— in the Island of Antigua . . . . .	467
————— in Madagascár . . . . .	478

INDEX.

661

	PAGE
<i>Poutyelova</i> , quarries of described . . . . .	450
<i>Pulcovca</i> river, description of the strata in it . . . . .	382
<i>Quantock</i> hills, Arragonite found in a cavern situated in them	613
<i>Quartz rock</i> , occurs in the east of Ireland . . . . .	185
————— in Ceylon . . . . .	315
————— at Sitacund . . . . .	350
————— in the Isle of Man described . . . . .	487
————— in the Lickey hill . . . . .	509
————— on the Stiperstones in Shropshire . . . . .	515
<i>Reygate</i> stone, description and geognostic situation of it . . . . .	353
<i>Rhinoceros</i> , fossil skull of, found in Siberia . . . . .	437
————— skull of, found in Warwickshire . . . . .	536
<i>Ross Island</i> , copper mine of . . . . .	596
<i>Salt lakes</i> , in Ceylon . . . . .	313
<i>Sand</i> , red, in the diluvium near Dover . . . . .	45
—————, in Cambridgeshire . . . . .	114
—————, near Petersburg . . . . .	414—426
<i>Sandstone</i> , green, near Folkstone . . . . .	37
————— green, on the coast of France . . . . .	48
————— in the Himala mountains . . . . .	64
————— first floetz in Ireland . . . . .	237
————— conglomerate of, Kildare . . . . .	239
————— recent formation of, in Ceylon . . . . .	326
————— containing fossils near Petersburg . . . . .	412—432
————— on the Tosna . . . . .	446
————— globular, in the neighbourhood of Nishny Novgorod	454
————— found in Madagascar . . . . .	477
————— in the Isle of Man . . . . .	493
————— in the Lickey hill in Worcestershire . . . . .	507
————— New red, in the eastern part of Yorkshire . . . . .	546—548
————— in the Table mountain . . . . .	616
<i>Sapphire</i> , occurs in gneiss in Ceylon . . . . .	322
SELKIRK, Right Hon. Earl, Notes concerning the geology of part of North America lying to the west of Hudson's bay	598

	PAGE
<i>Serau</i> , hills at, described . . . . .	67
<i>Serpentine</i> , is found in New South Wales . . . . .	480
———— near Milford in Connecticut, North America . . . . .	612
<i>Severn</i> , different heights of . . . . .	74
<i>Shells</i> , dug up in Madras . . . . .	337
———— freshwater in the Tufa on the Neva . . . . .	439
———— in the strata of the Island of Antigua . . . . .	463
<i>Shropshire</i> , observations on its vallies and water-courses . . . . .	73
<i>Sienite</i> , occurs in Ceylon . . . . .	314
———— in the Ghauts . . . . .	334—331
<i>Silver</i> , formerly found in a native state at Cronebane in Ireland . . . . .	218
<i>Sinkings for coal</i> , in the eastern part of Yorkshire . . . . .	551
<i>Souvando</i> , bursting of the lake of . . . . .	340
SOWERBY, JAMES, Esq. Notice on fossil organic remains found on the bank of the Tagus, near Lisbon . . . . .	611
<i>Spodumene</i> , occurs in granite in Ireland . . . . .	135
<i>Storm</i> , on the effects of one, in Lough Swilly . . . . .	612
STRANGWAYS, The Hon. W. T. H. Fox, description of the rapids of Imatra, on the Voxa river, in Carelia; with an Outline of the probable history of their formation; and a Notice of the bursting of the lake Souvando into the Ladoga, in the year 1818 . . . . .	340
———— description of strata in the brook Pulcovca, near the village of Great Pulcovca, in the neighbourhood of St. Petersburg . . . . .	382
———— geological sketch of the environs of St. Petersburg . . . . .	392
<i>Sulphate of barytes</i> , on the modifications of its primitive crystals . . . . .	305
<i>Sulphur</i> , method of extracting it from copper pyrites . . . . .	218
<i>Sutleg river</i> , rocks found in its bed . . . . .	66
<i>Sweden</i> , limestone basins in it described . . . . .	455
TAYLOR, JOHN, Esq. on the smelting of tin ores in Cornwall and Devonshire . . . . .	328
<i>Tillicherry</i> , observations on the geology of the country be- tween it and Madras . . . . .	358
TEMPLETON, Mr. J. on the formation of peat bogs . . . . .	608

	PAGE
<i>Tin</i> , mode of smelting it in Cornwall and Devonshire . . . . .	358
<i>Tinstone</i> , found in granite, in Ireland . . . . .	135
<i>Torre del Greco</i> , observations on substances found in it . . . . .	9
<i>Tosna</i> , description of its banks . . . . .	445
<i>Toxova</i> , hills and lakes of, described . . . . .	447
<i>Transition rocks</i> , tracts of them in Ireland described . . . . .	220
<i>Trap formation</i> , some of the rocks of the Island of Antigua supposed to belong to it . . . . .	468
————— occurs in Madagascar . . . . .	477
————— in New South Wales . . . . .	480
————— in the Isle of Man . . . . .	496
————— in the Lickey hill . . . . .	510
————— in the east of Ireland . . . . .	272
<i>Trilobites</i> , numerous in the Pleta limestone . . . . .	418
<i>Tubes, vitreous</i> , found at Drigg in Cumberland . . . . .	617
<i>Tufa</i> , calcareous, in the Neva . . . . .	438
———— volcanic in the hills of Badacson . . . . .	8
<i>Vegetable impressions</i> , in slaty clay . . . . .	291
————— in sandstone . . . . .	293
<i>Veins</i> of basaltic greenstone in the hill of Szigliget in Hungary . . . . .	6
———— metalliferous, in granite . . . . .	200
————— in clay-slate . . . . .	207
———— of Copper, Mucrus mine, Killarney . . . . .	597
———— of basalt in granite, Cape of Good Hope . . . . .	616
VINE, JAMES, Esq. Notice on a method of hardening gypsum . . . . .	622
<i>Voxa</i> river, described . . . . .	340
WARBURTON, HENRY, Esq. Notice concerning volcanic chro- mate of iron . . . . .	616
<i>Water-courses</i> in Shropshire, heights of . . . . .	44
WEAVER, THOMAS, Esq. Memoir on the geological relations of the east of Ireland . . . . .	117
WEBSTER, THOMAS, Esq. on the geognostic situation of the Reygate stone, and of the fuller's earth at Nutfield . . . . .	353

	PAGE
WINCH, J. N. Esq. Observations on the eastern part of Yorkshire . . . . .	545
<i>Wolds of Yorkshire</i> , composed of chalk . . . . .	554
<i>Wood</i> , petrified, found in great abundance in the Island of Antigua . . . . .	467
————— occurs in the eastern part of Yorkshire . . . . .	556
WRIGHT, Mr. a notice respecting Mucrus mine, Killarney . . . . .	595
YATES, Rev. JAMES, Account of a variety of argillaceous lime- stone, found in connexion with the ironstone in Stafford- shire . . . . .	375
<i>Yorkshire</i> , Observations on the eastern parts of . . . . .	545
<i>Zircon</i> , found in Ceylon . . . . .	320
<i>Zeolite</i> , occurs in the basalt of the Isle of Mull . . . . .	374

END OF THE FIFTH VOLUME.

LONDON :  
PRINTED BY WM. PHILIPS,  
GEORGE YARD, LOMBARD STREET.